

PRODUCTFICHE - FICHE PRODUIT - SPECIFICATION PRODUCT

1. Algemene informatie - Information général - General information

ARTIKELNR. ACE / N° Art. ACE / Ref. ACE	SP01663
OMSCHRIJVING / Description / Description	Menuschaal alu 188x133x35mm R77G 660cc Ravier menu alu 188x133x35mm R77G 660cc Tray alu 188x133x35 mm R77G 660cc
DATUM / Date / Date	14/03/2023
VOEDSELGESCHIKT? / Nourriture appropriée? / Foodsafe?	Wel voedselgeschikt - Apte pour contact alimentaires - Food safe

2. Producteigenschappen - Caractéristiques - Specifications

Gewicht / Poids / Weight	± 7.5 g / Stuk / Pièce / Piece ± 9.0 kg / Verp / Emb. / Pack
Lengte / Longueur / Length (mm)	188
Breedte / Largeur / Width (mm)	133
Hoogte / Hauteur / Height (mm)	35
Vorm / Forme / Form	Rechthoekig / Rectangulaire / Rectangular
Inhoud / Contenu / Content	660
Materiaal / Matériel / Material	Aluminium / Aluminium / Aluminium
Wand: glad-geribbeld / Mur: lisse-côtelé / Wall: smooth-ribbed	Geribbeld / Ridé / Ribbed
Kleur / Couleur / Colour	Zilver / Argent / Silver

3. Verpakkingswijze - Emballage - Packaging

Aantal / Quantité / Quantity	1.200 Stuks-Pièces-Pieces / Pallet 24.000 Stuks-Pièces-Pieces /Verp-Emb.-Pack
------------------------------	--

DECLARATION OF CONFORMITY

Supplier:

**ACE Packaging NV
Industrieterrein 1/1
ZI Webbekom 1013
B-3290 Diest**

Product identity :

SP01663: Tray alu menu R77G 660cc 188x133x35mm

Legal compliance:

We, ACE PACKAGING, declare that the product described above, complies with the requirements of:

- REGULATION (EC) No 1935/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 27 October 2004 on materials and articles intended to come into contact with food.
- COMMISSION REGULATION (EC) No 2023/2006 of 22 December 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- BELGIAN LEGISLATION : ROYAL DECREE of 11/05/1992 on materials and articles intended to come into contact with food.

Intended food types & contact conditions:

The above mentioned products can be used for food contact at the following conditions:

- **Short-term contact:** less than 24 hours at any temperature conditions;
- **Prolonged contact:** more than 24 hours at refrigerated temperature;
- **Prolonged contact:** more than 24 hours at ambient temperature limited to the foods listed in Annex IV of M.D. 76/2007:
 - Cocoa and chocolate products
 - Coffee
 - Spices and herbs infusions
 - Sugar
 - Cereals and derived products
 - Dry pasta
 - Bakery products
 - Dried legumes and derived products
 - Dried fruit
 - Dried mushrooms
 - Dried vegetables
 - Confectionery products
 - Bakery products provided that the filling is not in direct contact with aluminum
- Not suitable for contact with strongly acid or heavily salted foods.

The above described products can be used for cooking in:

- **Traditional oven** at the maximum temperature of 250°C (do not use at direct contact with open flames or electrical resistances)
- **Industrial oven** at the maximum temperature of 350°C up to 2 hours (do not use at direct contact with open flames or electrical resistances)
- **Microwave oven** at the maximum power for 15 minutes (only where indicated by the manufacturer)

The trays can be used at low temperatures (ambient temperature and/or refrigerated, including freezing and deep-freezing conditions).

Suitable for use in freezer? Yes

Suitable for use in microwave? Ja, (max. 15 min)

Suitable for use in oven? Ja, (max.250°C)

Suitable for hot fill? Yes

TEST CONDITIONS:

We declare that for the above described material no overall migration tests are foreseen and the material does not contain any substances with specific migration limit.

Release tests with tap water have been performed according to the test conditions considered by the Resolution CM/Res(2013)9 and showed positive results.

DUAL USE ADDITIVES:

We declare that in the above described material there are no substances regulated by Regulation 1333/08/EC and/or Regulation 1334/08/EC (substances called "dual use" additives).

ALLERGENS:

In the supplied product, substances called allergens, as per Annex II of Regulation 1169/2011/EU and subsequent updates and modifications have not been intentionally added.

RAW MATERIALS:

The above material has been manufactured with degreased and pre-lubricated aluminum alloy. Chemical composition of aluminum laminate and its alloys is in compliance with technical standard UNI EN 602:2004 and aluminum has been manufactured in compliance with guideline UNI EN 16773:2016.

In the production of plain aluminum a lubricating oil has been used as processing aid. The oil complies with the requirements of M.D. 76/2007 and guideline UNI EN 16773:2016.

The lubricant does not contain G.M.O. substances and potentially allergenic substances.

Storage conditions

Dry conditions, away from direct sunlight, avoid mechanical shocks, keep in original closed packaging free from dust and other contaminations.

Traceability

Traceability of the product is ensured according to Regulation (EC) No 1935/2004.

Our statements are based on the conformity documents made available by our suppliers, migration tests carried out by us or by a third party. It is the customers own responsibility to test the suitability.

Done at Diest, 14/03/2023

Nadja Louwet i.o.v.

Olivier Stappaerts (CEO ACE Packaging)



Quality Department

Valid until: 14/07/25