

PRODUCTFICHE – FICHE PRODUIT - SPECIFICATION PRODUCT

1. Algemene informatie – Information général – General information

VORIG ARTIKELNR. ACE / N° Art. ACE précédent / Previous Ref. No. ACE	
ARTIKELNR. ACE / N° Art. ACE / Ref. ACE	VA01122
OMSCHRIJVING / Description / Description	Rol aluminium 11µ - Cbox 295mmx200m / Rouleau aluminium 11µ Cbox 295mmx200m
DATUM / Date / Date	15/04/2024

2. Producteigenschappen – Caractéristiques - Specifications

MATERIAALSOORT/Matériel / Material	Aluminium		
GEWICHT / Poids / Weight	± 1.83 kg / rol – rouleau		
MAAT / Dimensions / Size	LENGTE / Longueur / Length	200	m
	BREEDTE / Largeur / Width	325	mm
WANDDIKTE / Epaisseur / Thickness	10.5 µm		
KLEUR / Couleur / Colour	Silver / Argent		

3. Verpakkingswijze – Emballage- Packaging

AANTAL / Quantité / Quantity	200	Meter – mètres - meters	/ Rol –rouleau - roll
------------------------------	-----	-------------------------	-----------------------

4. Typische eigenschappen – Caractéristiques typiquement- Typical properties

PROPRIETE	UNITE	VALEUR
Diamètre intérieur mandrin	mm	40,2
Longueurs	ML	200
Largeurs	cm	32.5
Résistance à la traction	Rm (N/mm ²)	80 – 110
Résistance à la pression d'éclatement	Pe (kPa)	>81
Allongement	E50(%)	>4.4
Porosité	Pinholes m ²	<40
Epaisseur	Mµ	10.5
Densité	kg/dm ²	2.70 – 2.74
Coeff. Dilatation linéaire	(°C-1)	23.3 – 24.4*10(-6)
Conductivité thermique	W/m°C	223 – 239
Capacité calorifique	J/g°C	0.88 – 0.95
Résistivité	Ohm.m	27 – 37*10(-9)
Température de fusion	°C	645 – 660
Tolérances de fabrication	Longueur +/- 4% - Largeur +/- 1% - Epaisseur +/- 5%	

VERKLARING VAN OVEREENSTEMMING – DECLARATION DE CONFORMITE – DECLARATION OF CONFORMITY

The supplier established in the Community:

Name of the supplier: **Ace Packaging NV.**
Complete address: **Industrieterrein 1/1 - IZ Webbekom 1013
3290 Diest - Belgium**

declares that the product described above complies with the requirements of:

Regulation EC 1935/2004 of 27th October 2004 (Framework Regulation)

Regulation EC 2023/2006 of 22th December 2006 ("GMP-regulation")

Belgian legislation: "Koninklijk Besluit van 11 mei 1992 - Arrête Royale du 11 mai 1992"

EN 602 Aluminium and aluminium alloys

in the following conditions of use:

- Type of food intended to come in contact with material/object:

All food types, **except for** very acidic food (lemons, tomatoes,..) and very salty food (smoked salmon, ...)

- Possible treatment of material/object:

Suitable for cooking and reheating in the oven.

Food preservation: less than 24 hours under all temperature conditions, more than 24 hours at refrigeration temperature.

Do not put in contact with very acidic foods (lemon, tomato...) or highly salted foods (smoked salmon...).

Do not use in microwave oven.

For containers and lids of aluminum overall & specific migration are not mandatory.

- Shelf-life and material/object temperature:

The ideal storage conditions are 10/30°C in a dry place and protected from the atmospheric elements

Traceability of the product is ensured according to Regulation (EC) No. 1935/2004

Our statements are based on the conformity documents made available by our suppliers, migration tests carried out by us or by a third party. It is the customers own responsibility to test the suitability

Done at, Diest 15/04/2024

Séverinne Valvekens

Quality department

i.o.v. Olivier Stappaerts (CEO Ace Packaging)



This document is valid until 11/03/2026